

Attachment A-4

Revision of the Exceptions Policy for Waste Discharges to Groundwater

1.0 Regulatory Basis for Revision of the Exceptions Policy for Waste Discharges to Groundwater

1.1 Background

As described in the Nitrate Permitting Strategy in the SNMP,¹ the Central Valley Water Board is required to implement the Basin Plans when it authorizes discharges through the adoption of Waste Discharge Requirements and Conditional Waivers (WDRs/Conditional Waivers). This includes incorporating into the WDRs/Conditional Waivers provisions that ensure beneficial uses are protected, and that receiving waters meet or are better than water quality objectives that are adopted to protect beneficial uses. When permitting discharges, the Central Valley Water Board traditionally looks to see if the discharge itself meets (or is better than) the applicable water quality objective, and if not, determines if assimilative capacity is available in the receiving water. In cases where there is assimilative capacity, the Central Valley Water Board considers the particular facts of the discharge to determine whether it can make the findings as required by Resolution No. 68-16² to authorize use of assimilative capacity.

In the Central Valley, there may be circumstances where the discharge is not better than the applicable water quality objective and no assimilative capacity is available, or the Central Valley Water Board is unable to make the findings necessary to authorize use of assimilative capacity even if it is available. Traditionally, in such circumstances, the State Water Resources Control Board (State Water Board) has directed that Central Valley Water Board either prohibit the discharge, adopt a time schedule in the order that requires the discharger to come into compliance with needed WDR provisions, or revise the applicable water quality standard.

The Central Valley Water Board has recognized that with respect to salts, it may not be reasonable, feasible or practical to prohibit the discharge or issue a time schedule with the expectation that the discharge can meet applicable water quality objectives in a reasonable time period. Further, the Central Valley Water Board is reluctant to revise water quality standards, which would permanently remove the beneficial use. To provide another alternative, the Central Valley Water Board adopted a Policy for Exceptions from Implementing Water Quality Objectives for Salinity (Exceptions Policy) in Resolution No. R5-2014-0074, on June 6, 2014. The State Water Board approved that policy in Resolution No. 2015-0010, on March 17, 2015. The Policy amended the Basin Plans and established

¹ See SNMP Section 4.3.2 and Attachment A-2

² State Water Board Resolution 68-16. Statement of Policy with Respect to Maintaining High Quality of Waters in California (Antidegradation Policy); 1968

“procedures for dischargers that are subject to WDRs and conditional waivers to obtain a short-term exception from meeting effluent or groundwater limitations for salinity constituents.”³

The Exceptions Policy established a Salinity Exception Program that is *“in effect during the development and initial implementation of the Salt and Nitrate Management Plans”⁴* being prepared through the CV-SALTS process. The Salinity Exception Program (aka “Streamlined Policy”) applies only to electrical conductivity, total dissolved solids, chloride, sulfate and sodium.⁵ The current Exceptions Policy prohibits the Central Valley Water Board from authorizing new exceptions or reauthorizing previously approved exceptions after June 30, 2019. The sunset date was included because the Central Valley Water Board intended that any permanent, long-term exceptions policy should be developed through the CV-SALTS process and that stakeholders needed to make appropriate recommendations for such a policy in the SNMP.

In accordance with the Central Valley Water Board’s direction in developing the current Salinity Exceptions Program, this SNMP recommends that the current Exceptions Policy be revised.

1.2 Justification for Extending/Expanding the Current Exceptions Policy

The SNMP finds that there may be instances where it is infeasible, impracticable or unreasonable for dischargers to comply with certain WDRs even with a compliance schedule. Under such circumstances, and when there is little or no assimilative capacity available, as stated above, the Central Valley Water Board presently has only two regulatory options available: (a) where appropriate, revise the applicable water quality standards and related WDRs, or (b) disallow the discharge.

Revising water quality standards (uses and or objectives) is a complex, timely process requiring considerable documentation and numerous opportunities for public comment. Consequently, legally allowing for an exception to meeting the objective may be needed to provide time to complete the full regulatory review and approval process for revising the water quality standard. Or, in many cases, the Central Valley Water Board will be reluctant to revise the water quality standard and would prefer to adopt an exception that is discharger and/or area specific and time-limited rather than a general and more lasting revise a water quality standard revision.

Prohibiting the discharge may also be infeasible, impracticable or unreasonable. If the Central Valley Water Board determines that a non-compliant discharge cannot or should not be prohibited, then some form of exception is required. Examples of situations where the Central Valley Water Board may conclude that it is infeasible, impracticable or unreasonable to prohibit the non-compliant discharge include, but are not limited to:

- 1) Situations where compelling the discharge to comply with the applicable WDR (assuming it was possible to do so) would not significantly improve water quality or assure attainment of the related standards in the foreseeable future (≈20 years).

³ Central Valley Water Board Amendments to the Water Quality Control Plan for the Sacramento River and San Joaquin River Basins and the Water Quality Control Plan for the Tulare Lake Basin To add Policies for Variances from Surface Water Quality Standards for Point Source Dischargers, Variance Program for Salinity, and Exception from Implementation of Water Quality Objectives for Salinity; Final Staff Report, June 2014, Final Staff Report (“Variance & Exceptions Policy”); page ES-3.

⁴ Variance & Exceptions Policy; page ES-3.

⁵ Variance & Exceptions Policy; page 51.

- 2) Situations where allowing the discharge is likely to result in nominal but insignificant changes in receiving water quality with no meaningful increase in public health risk.
- 3) Situations where disallowing prohibiting the discharge would likely result in widespread and substantial adverse social and economic impacts in the area and/or region.
- 4) Situations where allowing the discharge is projected to improve existing or expected quality in the receiving water; or, where prohibiting the discharge would be more harmful to water quality and/or the environment than allowing it to continue despite the failure to comply with the WDR provisions for which the exception is sought.
- 5) Situations where allowing the discharge to continue is necessary to preserve or sustain other beneficial uses, or to implement other important water resource management policies established by state authorities (e.g., increased water conservation, increased use of recycled water, increased groundwater recharge/storage, increased drought protection, etc.).
- 6) Situations where allowing the discharge to continue facilitates the SNMP’s management goals (see SNMP Section 4.1.1) for a more comprehensive long-term program to achieve salt and nitrate balance and, where reasonable and feasible, attain water quality standards in the groundwater (aka “restoration”).

2.0 Proposed Revisions to Exceptions Policy

2.1 Summary of Current Exception Policy

The current Exceptions Policy (adopted in June of 2014) provides guidance to the Central Valley Water Board solely for exceptions for salinity-related constituents. Presently, the definition of “salinity” includes only: electrical conductivity, total dissolved solids, chloride, sulfate and sodium. The current Policy does not provide the Central Valley Water Board with guidance to approve exceptions for any other pollutants including nitrate and boron.

Notably, the current policy does not automatically grant an exception in any given instance. Exceptions must be authorized through a separate Central Valley Water Board action. Also, under the current policy, exceptions must “...be set for a term not to exceed ten years. For exception terms greater than five years, the Regional Board will review the exception five years after approval to confirm that the exception should proceed for the full term.”⁶ That review must be conducted in a public hearing.

In general, the current Exceptions Policy allows dischargers to apply to the Central Valley Water Board for an exception to discharge requirements from the implementation of water quality objectives for salinity. The exception may apply to the issuance of effluent limitations and/or groundwater limitations (i.e., receiving water limitations) that implement water quality objectives for salinity in groundwater, or to effluent limitations and/or surface water limitations that implement water quality objectives for salinity in surface water discharges that are not subject to regulation under the Clean

⁶ Variance & Exceptions Policy; page 51.

Water Act. Under the current Exception Policy, a discharger's application must include the following:⁷

- An explanation/justification as to why the exception is necessary, and why the discharger is unable to ensure consistent compliance with existing effluent and/or groundwater/surface water limitations associated with salinity constituents at this time;
- A description of salinity reduction/elimination measures that the discharger has undertaken as of the date of application, or a description of a salinity-based watershed management plan and progress of its implementation;
- A description of any drought impacts, irrigation, water conservation and/or water recycling efforts that may be causing or cause the concentration of salinity to increase in the effluent, discharges to receiving waters, or in receiving waters;
- Copies of any documents prepared and certified by another state or local agency pursuant to Public Resources Code Section 21080 et seq.; or, such documents as are necessary for the Regional Water Board to make its decision in compliance with Public Resources Code Section 21080 et seq.;
- Documentation of the applicant's active participation in CV-SALTS as indicated by a letter of support from CV-SALTS; and
- A detailed plan of how the applicant will continue to participate in CV-SALTS and how the applicant will contribute to the development and implementation of the SNMP.

A key requirement for granting an exception, preparation and implementation of a Salinity Reduction Study Work Plan, or a salinity-based watershed management plan. A Salinity Reduction Study Work Plan shall at a minimum include the following:⁸

- 1) Data on current influent and effluent salinity concentrations;
- 2) Identification of known salinity sources;
- 3) Description of current plans to reduce/eliminate known salinity sources;
- 4) Preliminary identification of other potential sources;
- 5) A proposed schedule for evaluating sources; and
- 6) A proposed schedule for identifying and evaluating potential reduction, elimination, and prevention methods.

A salinity-based watershed management plan shall at a minimum include the following:⁹

- 1) A discussion of the physical conditions that affect surface water or groundwater in the management plan area, including land use maps, identification of potential sources of salinity, baseline inventory of identified existing management practices in use, and a summary of

⁷ Variance & Exceptions Policy; page 50.

⁸ Variance & Exceptions Policy; page 51.

⁹ Variance & Exceptions Policy; page 52.

- available surface and/or groundwater quality data;
- 2) A management plan strategy that includes a description of current management practices being used to reduce or control known salinity sources;
 - 3) Monitoring methods;
 - 4) Data evaluation; and
 - 5) A schedule for reporting management plan progress.

After considering the discharger's application, the Central Valley Water Board may adopt an exception for salinity constituents after public notice and hearing through a resolution, or by amending WDRs/Conditional Waivers.

2.2 Recommendations for Revising Current Exceptions Policy

The SNMP recommends that the current policy be amended in the following ways to provide the Central Valley Water Board with the necessary authority and flexibility to permit discharges in a manner that the Central Valley Water Board deems to be appropriate.

- 1) Delete the provision prohibiting the Central Valley Water Board from authorizing new exceptions or reauthorizing previously approved exceptions after June 30, 2019. Because the Central Valley Water Board can decide for itself whether to grant or not grant specific exceptions, there is no need for any sunset provision that restricts their overall authority to make such decisions.
- 2) The current provision limiting the term of an exception to no more than 10 years should be deleted. A new provision should be added stating that when authorizing an exception, the Central Valley Water Board shall adopt a term for the exception. Terms for exceptions shall generally not exceed 10 years, however, the Central Valley Water Board shall have the discretion to adopt an exception for longer than 10 years if the applicant(s) can demonstrate that it is necessary to further the management goals of the SNMP. The Central Valley Water Board should have the authority to reauthorize (renew) an exception for one or more additional terms, the length of which shall be determined by the Central Valley Water Board. The authorization of an exception, or any reauthorization, shall require approval of the Central Valley Water Board, after notice and hearing. The Central Valley Water Board shall also have the authority to rescind the authorization of an exception when the applicant(s) are not complying with the terms and conditions that are part of the exception. Any rescission of an exception may only occur after notice and hearing.
- 3) Those discharger(s) with authorized exceptions, in conjunction with Central Valley Water Board staff, should prepare a status report for presentation to the Central Valley Water Board every 5 years summarizing compliance with the terms and conditions of the exception. The Central Valley Water Board staff maintains discretion to present such status reports to the Central Valley Water Board for individual exceptions, or collectively for multiple exceptions granted to multiple dischargers.

- 4) The current policy should be amended to add nitrate to the list of chemical constituents for which the Central Valley Water Board may authorize an exception. In order to ensure this is implemented as intended, it may also be necessary to include total nitrogen and various forms of nitrogen (total inorganic nitrogen [TIN], total kjeldahl nitrogen [TKN], etc.) to the same list. It will also be necessary to harmonize text throughout the existing policy where such text currently focuses exclusively on exceptions for “salinity.”
- 5) The current policy should recognize that nothing in the policy prevents the Central Valley Water Board from considering authorization of an exception for boron if adequate supporting documentation to justify the exception is provided by the applicant. This would include providing supplemental environmental review and analysis, where needed, to supplement such analyses completed to support development of the SNMP.
- 6) The current policy should be amended to add a new provision requiring dischargers to assure availability of an adequate supply of safe, reliable and affordable drinking water, as a condition of authorizing an exception for nitrate, in those areas of the groundwater basin or sub-basin adversely affected by the non-compliant discharge (or discharges). The “assurance” must include a credible and realistic framework to construct/install a permanent long-term solution and an immediate commitment to make available temporary replacement water in the interim.
- 7) The current policy should be amended to add new provisions, as determined appropriate, that articulate the requirements associated with seeking and approving an exception. These include, but are not limited to: eligibility criteria, mitigation responsibilities, monitoring/reporting obligations, and expectations relevant to implementing the SNMP Management Goals. The current policy should be amended to reference the need for the Exception Application for nitrate to follow the Alternative Compliance Project Guidelines for Nitrate (see SNMP Attachment A-10), to the extent that such Guidelines apply to the requested exception.
- 8) The current policy should be amended to make clear that exceptions are intended to facilitate long-term attainment of water quality standards or to provide the time needed to revise an inappropriate water quality standard. The Central Valley Water Board may renew and reauthorize exceptions but should not do so indefinitely if re-designation, de-designation and/or adoption of a site-specific water quality objective is the more appropriate regulatory approach.
- 9) The current policy should be amended to revise the application requirements so that such requirements reflect and implement the SNMP management goals. Further, the application requirements should be revised to distinguish what requirements are applicable when seeking an exception from a salinity-based water quality objective versus applicable requirements for seeking an exception from the nitrate water quality objective.
- 10) The current policy should be amended to clarify that applicants for an exception may be by individual dischargers, or collective dischargers through a management zone, by a third party group on behalf of its members, or other forms of collective groups of dischargers recognized by the Central Valley Water Board.
- 11) The current policy may also need to be amended to identify application requirements that apply to collective groups of dischargers seeking an exception(s) for a management zone rather than

as an individual discharger. For more information on management zones, see Groundwater Management Zone Policy, SNMP Attachment A-1.

2.3 Authorization of Exceptions

The SNMP recommends that exceptions be authorized by the Central Valley Water Board subject to certain conditions and performance obligations on the discharger(s). This provides a mechanism to ensure that exceptions serve the greater good. To that end, the SNMP sets forth several important expectations governing the manner in which exceptions are likely to be considered by the Central Valley Water Board:

- 1) Exceptions for nitrate will not be considered unless an adequate supply of clean, safe, reliable and affordable drinking water is available for those living in the area adversely affected by the non-compliant discharge(s). Said availability must take the form of a detailed work plan, schedule of milestones, and financial commitments to provide interim and permanent alternate water supplies. Performance bonds may be required to assure timely implementation.
- 2) Dischargers are expected to continue to make reasonable “best efforts” to comply with applicable WDRs. The specific nature of these efforts will be identified at the time the exception is proposed and authorized.
- 3) As a condition for reauthorizing/renewing an exception, dischargers will be required to periodically reassess Best Management Practices (BMPs) and survey available treatment technologies to determine if feasible, practicable and reasonable compliance options have become available.
- 4) Where exceptions are sought in order to provide time to develop and approve a more appropriate water quality standard (uses and/or objectives), there must be a well-defined work plan (including a schedule of milestones) and a commitment by dischargers to provide the resources needed to complete the proposed process.
- 5) Where existing water quality standards are unlikely to change, dischargers must explain how the proposed exception facilitates the larger long-term strategy designed to ultimately attain those standards (e.g., implementing Strategic Salt Accumulation Land and Transportation Study [SSALTS];¹⁰ Nitrate Implementation Measures Study [NIMS],¹¹ forming and participating in a groundwater management zone,¹² etc.) while, in the interim, allocating available resources to address more urgent water quality priorities (e.g., safe drinking water), where applicable.

Under the SNMP’s recommendations, authorization for exceptions may be granted by the Central Valley Water Board for individual dischargers, recognized third party groups on behalf of its members

¹⁰ *Strategic Salt Accumulation Land and Transportation Study (SSALTS), Final Phase 2 Report: Development of Potential Salt Management Strategies*. Report prepared by CDM Smith on behalf of CV-SALTS. October 1, 2014; *SSALTS, Final Phase 1 Report: Identification and Characterization of Existing Salt Accumulation Areas*. Report prepared by CDM Smith on behalf of CV-SALTS. December 13, 2013; *SSALTS Final Phase 3 Report: Evaluate Potential Salt Disposal Alternatives to Identify Acceptable Alternatives for Implementation*. Report prepared by CDM Smith on behalf of CV-SALTS. October 2016.

¹¹ *Nitrate Implementation Measures Study Final Report*. Report prepared by CDM Smith on behalf of CV-SALTS, March 31, 2016.

¹² See Central Valley SNMP Attachment A-1 for Groundwater Management Zone Policy.

or for multiple dischargers under a management zone. Terms and conditions associated with the granting of an exception will be incorporated into relevant WDRs, and failure to comply with such terms and conditions may result in the termination of the exception and/or an enforcement action.

3.0 Proposed Modifications to the Basin Plans to Support Policy Implementation

The following subsections summarize the key changes anticipated for each Basin Plan to support adoption of this policy.

Existing and Potential Beneficial Uses

No modifications anticipated.

Water Quality Objectives

No modifications anticipated.

Implementation

Revise the existing Exceptions Policy in the Basin Plans as described above.